

TRUCK COMPACT, SIX (6) FOOT BED, PAYLOAD 1,000 LBS.
2009 SPECIFICATIONS

Previous Std. Specs.	CHEVROLET/GMC	FORD					
	Colorado CS15403 Canyon TS15403	4x2 Ranger Shrt Whl Base R10 XL Series 861A					
1. All Std Equipment as listed by Mfg. Or as req. for GVWR 4380 6' Bed 111.0" to 126.0"	1590 GVW 4850 111.3	1260 GVW 4300 111.5					
2.a. Engine, Gasoline 2.3 Liter 4 Cylinder EFI	2.9L 4 Cyl MFI 185 5600 190 2800	2.3L I-4 143 5250 154 3750					
2.b. Engine, Flex Fuel (E-85)	N/A	N/A					
2.c. Engine, Hybrid	N/A	N/A					
3. Transmission Auto, 4 Speed Over Drive	4 Speed Auto w/ Over Drive	5 Speed Auto w/ Over Drive					
3a. Optional Transmission	5 Speed Manual	5 Speed Manual Over Drive					

TRUCK COMPACT, SIX (6) FOOT BED, PAYLOAD 1,000 LBS.
2009 SPECIFICATIONS

Previous Std. Specs.	CHEVROLET/GMC	FORD					
4. Tires w/ Mfg. Std Spare To meet GVWR 5 Blackwall Radials	P215/70R16 Steel All Season	P225/70Rx15 BSW All Season					
4a Optional Tires	None	None					
5. Brakes, Power Power, 4 wheel ABS Required	Std ABS 4 Wheel	Std ABS 4 Wheel					
6. Battery, Minimum 540 CCA Maintenance Free	590	540					
6a Optional Battery	None	None					
7. Alternator 110 Amps	125	110					
8. Steering, Power	Std	Std					
9. Mirror Ext. Lf/Rt. Mounted	Opt - Power	Opt- Power					
9a. Mirror Interior	Std	Std					

TRUCK COMPACT, SIX (6) FOOT BED, PAYLOAD 1,000 LBS.
2009 SPECIFICATIONS

Previous Std. Specs.	CHEVROLET/GMC	FORD					
10. Interior, Full Vinyl w/Std Seats	60/40 Split Seat Std	Std					
11. Rear Bumper Step Type Mfg./Dealer Installed	Std	Std					
12. Radio AM/FM Factory Installed	AM/FM	AM/FM Stereo w/Digital Clock					
13. Dome Light	Std	Std					
14. Carrier, Spare Wheel Underframe	Std	Std					
15. Air Conditioning Factory Installed	Opt	Std.					
16. Tinted Glass All Windows	Std	Std					
17. Air Bag Driver & Passenger	Dual – Std	Dual – Std					

TRUCK COMPACT, SIX (6) FOOT BED, PAYLOAD 1,000 LBS.
2009 SPECIFICATIONS

Previous Std. Specs.	CHEVROLET/GMC	FORD					
18. Fuel Tank Capacity	19	17					
19. Power Outlet: 12-Volt	2 Outlets	1 Ourlet					
20. Vehicle to be completely winterized	Std	Std					
21. Fuel Minimum 1/4 tank on delivery	Dealer	Dealer					
22. Warranty will begin on date veh is put in service not to exceed 6 mths from delivery date.	Opt Must Request	Opt. Must Request					
23. Standard Warranty	3 Yr. 36,000 Mi 5 Yr 100,000 drive train	3 Yr. 36,000 Mi 5 Yr. 60,000 Mi. Powertrain					

TRUCK COMPACT, SIX (6) FOOT BED, PAYLOAD 1,000 LBS.
2009 SPECIFICATIONS

Previous Std. Specs.	CHEVROLET/GMC	FORD					
Optional Equipment							
A. Anti Lock Brakes	Std	Std					
B. Factory Paint Dark Green	No Min of their Green Spec Ord Std Paint is 47 U Metalic Flake Plastic Parts gloss Black	Std Paint CM Dark Green Satin VSO/ add Charge Min order 5					
C. Optional Engine Sizes	3.7 L 5 cyl in line 242 5600 242 4600	4.0L V6 207 5250 238 3000					
D. Front Axle Weight	2633	2000- 2400					
E. Rear Axle Weight	2900	2750					